

# SEO Report for <http://www.finestredatetto-elettrolux.it>

**67 / 100**

SEO SCORE

**34 / 50**

PASSED CHECKS

**12 / 50**

FAILED CHECKS

**4 / 50**

WARNINGS

<http://www.fakro.it>

competitor

**91 / 100**

SEO SCORE

**42 / 50**

PASSED CHECKS

**5 / 50**

FAILED CHECKS

**3 / 50**

WARNINGS

## COMMON SEO ISSUES

### Meta Title

#### **www.finestredatetto-elettrolux.it**

- ✓ The meta title of your page has a length of 72 characters. Most search engines will truncate meta titles to 70 characters.

→ ELETTRROLUX di Perrone G. | Installazione finestre da tetto e linee vita

#### **www.fakro.it**

- ✓ The meta title of your page has a length of 55 characters. Most search engines will truncate meta titles to 70 characters.

→ Finestre da tetto, scale per la soffitta | FAKRO Italia

### www.finestredatetto-elettrolux.it

- ✖ The meta description tag is missing from your page. You should include this tag in order to provide a brief description of your page which can be used by search engines. Well-written and inviting meta descriptions may also help click-through rates to your site in search engine results.

#### HOW TO FIX META DESCRIPTION

In order to pass this test you must include a meta-description tag in your page header ( **<head>** section):

```
<head>
<meta name="description" content="type_your_description_here">
</head>
```

Note that in HTML the **<meta>** tag has no end tag but in XHTML this tag must be properly closed.

Meta description can have any length but a good practice is to keep this under 160 characters (search engines generally truncate snippets longer than this value).

### www.fakro.it

- ✓ The meta description of your page has a length of 440 characters. Most search engines will truncate meta descriptions to 160 characters.

→ FAKRO - finestre da tetto in legno e con profili in PVC di varie costruzioni e vari tipi di apertura, finestre per tetti piatti, raccordi di tenuta, comando elettrico, lucernari da tetto, lucernari tubolari, evacuazione fumi, accessori per finestre da tetto: veneziana, tende, tenda plissettata, zanzariera, tenda parasole, avvolgibile esterno , accessori per finestre verticali, scale per la soffitta, collettori solari, membrane per tetto

## Google Search Results Preview

### www.finestredatetto-elettrolux.it


- ⓘ [ELETTROLUX di Perrone G. | Installazione finestre da tetto e linee vita](http://www.finestredatetto-elettrolux.it/)  
<http://www.finestredatetto-elettrolux.it/>

### www.fakro.it

- ⓘ [Finestre da tetto, scale per la soffitta | FAKRO Italia](http://www.fakro.it/)  
<http://www.fakro.it/>


FAKRO - finestre da tetto in legno e con profili in PVC di varie costruzioni e vari tipi di apertura, finestre per tetti piatti, raccordi di tenuta, comando elettrico, lucernari da tetto, lucernari tubolari, evacuazione fumi, accessori per finestre da tetto: veneziana, tende, tenda plissettata, zanzariera, tenda parasole, avvolgibile esterno , accessori per finestre verticali, scale per la soffitta, collettori solari, membrane per tetto

### www.finestredatetto-elettrolux.it

-  There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

- finestre - 9 times
- tetto - 9 times
- vita - 5 times
- elettrolux - 5 times
- richiedi - 4 times


### www.fakro.it

-  There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

- fakro - 7 times
- più - 4 times
- stampa - 3 times
- finestre - 3 times
- mansarda - 2 times

## Keyword Usage

### www.finestredatetto-elettrolux.it

-  Your most common keywords are not appearing in one or more of the meta-tags above. Your primary keywords should appear in your meta-tags to help identify the topic of your webpage to search engines.


- ✓ Keyword(s) included in Title tag
- ✗ Keyword(s) not included in Meta-Description tag

#### HOW TO FIX KEYWORD USAGE

First of all, you must make sure that your page is using the title and meta-description tags.

Second, you must adjust these tags content in order to include some of the primary keywords displayed above.

### www.fakro.it

-  Congratulations! You are using your keywords in your meta-tags, which help search engines to properly identify the topic of your page.

- ✓ Keyword(s) included in Title tag
- ✓ Keyword(s) included in Meta-Description tag

**www.finestredatetto-elettrolux.it**

[email protected] assistenza bareggio benvenuti bilico certificata certificazione clicca  
 contatti content convenienza copyright della digita diritti durata duratura elaborazione  
 elettriche **elettrolux** elettrolx entra esperienza features **finestre** frase funzionalità  
 g.perrone galleria garanzie gratuito home impegno info informazioni installatore installazione  
 installazioni intervento investimento invia invio isonzo legge libro linea linee lunga maggiori  
 manutenzione menu messa messaggio miglior norma nostra opera ordinria p.iva perrone  
 portfolio preventivo prezzo privacy professionalità progettazione programmi pronto proposte  
 protezione qualificato qualità **richiedi** riservati scrupolosa senza servizio sicurezza skip  
 tapparelle **tetto** toggle troviamo tutti un'efficiente utilità vantaggi vasistas **vita**

**www.fakro.it**

accessi accessori accetta agevoli agli all'interno antigrandine archispace architetti armonia  
 arredi azienda browser certificati comfort comunicati conciatetti concorso contatto cookie  
 copyright delle dichiarazioni distintiva distribuzione **fakro** fili film finestra **finestre** fornire  
 giusta impostazioni informazioni innovazione innoview instruzione istruzioni l'installatore logo  
 luce mansarda massima massimo modello modificare **montaggio** navigazione nella offerta  
 operatori parametri piattaforma piatti **più** politica posatore possibile prodotti professionisti  
 qualità questi questo reserved rights scale scelta seguici servizio siamo sicura sicuri sito soffitta  
 sorprendente **stampa** sull'azienda tetti **tetto** trova ufficio utenti utilizza vetro vicino visione

**<h1> Headings Status****www.finestredatetto-elettrolux.it**

✖ Your page does not contain any H1 headings. H1 headings help indicate the important topics of your page to search engines. While less important than good meta-titles and descriptions, H1 headings may still help define the topic of your page to search engines.

**HOW TO FIX <H1> HEADINGS STATUS**

In order to pass this test you must indentify the most important topics from your page and insert those topics between `<h1>...</h1>` tags.

**Example:**

```
<h1>Important topic goes here</h1>
```

```
...
```

```
<h1>Another topic</h1>
```

**www.fakro.it**

✔ Your page contains H1 headings. Their contents are listed below:

- Finestre da tetto
- Scale per la soffitta
- Accessori per finestre da tetto
- Trova posatore

### www.finestredatetto-elettrolux.it

- ❗ Your page contains many H2 tags. H2 tags should re-inforce the related content of your page to search engines - too many tags may make the topic less clear, or look like spam tactics. Consider using less than 10 H2 tags. The current H2 tags are listed below:

- Installazione finestre da tetto e linee vita
- BENVENUTI IN ELETTRILUX
- FINESTRE DA TETTO
- LINEA VITA
- ASSISTENZA
- FEATURES
- PROGETTAZIONE
- QUALITÀ
- CERTIFICAZIONE
- DURATA
- MANUTENZIONE ORDINARIA
- CONVENIENZA
- RICHIEDI UN PREVENTIVO

### www.fakro.it

- ✅ Your page contains H2 headings. Their contents are listed below:

- Comunicati stampa

## Robots.txt Test

### www.finestredatetto-elettrolux.it

- ✅ Congratulations! Your site uses a "robots.txt" file: <http://www.finestredatetto-elettrolux.it/robots.txt>

### www.fakro.it

- ✅ Congratulations! Your site uses a "robots.txt" file: <http://www.fakro.it/robots.txt>

**www.finestredatetto-elettrolux.it**

- ✖ Your site lacks a sitemap file. Sitemaps can help robots index your content more thoroughly and quickly. Read more on Google's guidelines for [implementing the sitemap protocol](#).

**HOW TO FIX SITMAP TEST**

In order to pass this test you must create a sitemap.xml file for your website. Some of the best practices are listed below:

- It is strongly recommended that you place your sitemap at the root directory of your website: **<http://yourwebsite.com/sitemap.xml>** But in some situations, you may want to produce different sitemaps for different paths on your site (e.g., security permission issues)
- Sitemaps should be no larger than 10MB (10,485,760 bytes) and can contain a maximum of 50,000 URLs. This means that if your site contains more than 50,000 URLs or your sitemap is bigger than 10MB, you must create multiple sitemap files and use a **Sitemap index file**
- All URLs listed in the sitemap must reside on the same host as the sitemap. For instance, if the sitemap is located at **<http://www.yourwebsite.com/sitemap.xml>**, it can't include URLs from **<http://subdomain.yourwebsite.com>**
- Once you have created your sitemap, let search engines know about it by submitting directly to them, pinging them, or adding the sitemap location to your **robots.txt** file
- Sitemaps can be compressed using gzip, reducing bandwidth consumption

**sitemap.xml example:**

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
  <loc>http://www.yourwebsite.com</loc>
  <lastmod>2013-01-01</lastmod>
  <changefreq>weekly</changefreq>
  <priority>0.9</priority>
</url>
<url>
  <loc>http://www.yourwebsite.com/articles/100</loc>
  <changefreq>weekly</changefreq>
</url>
<url>
  <loc>http://www.yourwebsite.com/articles/101</loc>
  <lastmod>2013-01-02</lastmod>
  <changefreq>weekly</changefreq>
</url>
<url>
  <loc>http://www.yourwebsite.com/articles/102</loc>
  <lastmod>2013-01-02T13:00:12+00:00</lastmod>
  <priority>0.5</priority>
</url>
</urlset>
```

**www.fakro.it**

- ✔ Congratulations! We've found 1 sitemap file for your website:

→ <http://www.fakro.it/sitemap.xml>

## Broken Links Test

### www.finestredatetto-elettrolux.it

✓ Congratulations! We have checked 19 links on this web page and none of them are broken.

### www.fakro.it

✓ Congratulations! We have checked 33 links on this web page and none of them are broken.

## SEO Friendly URL Test

### www.finestredatetto-elettrolux.it

✗ We have found 2 URLs that are not SEO friendly!

→ [http://www.finestredatetto-elettrolux.it/?page\\_id=2184](http://www.finestredatetto-elettrolux.it/?page_id=2184)

→ [http://www.finestredatetto-elettrolux.it/?page\\_id=2163](http://www.finestredatetto-elettrolux.it/?page_id=2163)

#### HOW TO FIX SEO FRIENDLY URL TEST

- In order for URLs to be SEO friendly, they should be clearly named for what they are and contain no spaces, underscores or other characters. You should avoid the use of parameters when possible, as they make URLs less inviting for users to click or share.
- If your website is new and is not indexed by search engines you can replace underscores with hyphens or redirect those links to URLs that use hyphens. BUT, if your website is ranked well by search engines you do not need to do this (probably you have other ranking factors working very well).
- The general advice remains: build links that contain hyphens rather than underscores and avoid dynamic URLs.

### www.fakro.it

✓ Congratulations! All links from your webpage are SEO friendly.

## Image Alt Test

### www.finestredatetto-elettrolux.it

! Your webpage has **7** 'img' tags and **3** of them are missing the required 'alt' attribute.

#### HOW TO FIX IMAGE ALT TEST

In order to pass this test you must add an **alt** attribute to every **<img>** tag used into your webpage. An image with an alternate text specified is inserted using the following HTML line:

```

```

Remember that the point of alt text is to provide the same functional information that a visual user would see. Search engines, users who disabled images in their browsers and other agents who are unable to see the images on your webpage can read the alt attributes assigned to the image since they cannot view it. Learn more about [optimizing images for SEO](#).

### www.fakro.it

! Your webpage has **27** 'img' tags and **13** of them are missing the required 'alt' attribute.

### www.finestredatetto-elettrolux.it

✖ Your webpage is using **12** inline CSS styles!

#### HOW TO FIX INLINE CSS TEST

It is a good practice to move all the inline CSS rules into an external file in order to make your page "lighter" in weight and decrease the code to text ratio.

- check the HTML code of your page and identify all style attributes
- for each style attribute found you must properly move all declarations in the external CSS file and remove the style attribute

For example:

```
<!--this HTML code with inline CSS rule:-->
<p style="color:red; font-size: 12px">some text here</p>

<!--would became:-->
<p>some text here</p>

<!--and the rule added into your CSS file:-->
p{color:red; font-size: 12px}
```

### www.fakro.it

✖ Your webpage is using **9** inline CSS styles!

#### Deprecated HTML Tags

### www.finestredatetto-elettrolux.it

✔ Congratulations! Your page does not use HTML deprecated tags.

### www.fakro.it

✔ Congratulations! Your page does not use HTML deprecated tags.



**www.finestredatetto-elettrolux.it**

- ✖ A Google Analytics script is not detected on this page. While there are several tools available to monitor your site's visitors and traffic sources, Google Analytics is a free, commonly recommended program to help diagnose potential SEO issues.

**HOW TO FIX GOOGLE ANALYTICS TEST**

In order to pass this test you must create an account on [Google Analytics site](#) and insert into your page a small javascript tracking code.

**Example:**

```
<!-- Google Analytics -->
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o),
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)
})(window,document,'script','//www.google-analytics.com/analytics.js','ga');

ga('create', 'UA-XXXX-Y', 'auto');
ga('send', 'pageview');

</script>
<!-- End Google Analytics -->
```

Note that you have to change the 'UA-XXXX-Y' with the proper id which you'll find in your analytics account.

**www.fakro.it**

- ✔ Congratulations! Your website is using the latest version of Google Analytics.

**Favicon Test****www.finestredatetto-elettrolux.it**

- ✔ Congratulations! Your website appears to have a favicon. ☐

**www.fakro.it**

- ✔ Congratulations! Your website appears to have a favicon. ☐

**JS Error Checker****www.finestredatetto-elettrolux.it**

- ✔ Congratulations! There are no severe JavaScript errors on your web page.

**www.fakro.it**

- ✔ Congratulations! There are no severe JavaScript errors on your web page.

## Social Media Check

### www.finestredatetto-elettrolux.it

- ✗ Your website is not connected with social media using the API's provided by Facebook, Google +, Twitter, Pinterest, or using [addthis.com](https://addthis.com)

#### HOW TO FIX SOCIAL MEDIA CHECK

In order to pass this test you must connect your website with at least one major social network. To do that, you must insert into your page some social networks plugins: [Facebook Like Button](#), [Facebook Share Button](#), [Facebook Comments](#), [Twitter Button](#), [Google +1 Button](#), [Pinterest Button](#) or [AddThis Widget](#)

### www.fakro.it

- ✓ Congratulations! Your website is connected successfully with social media using: [Facebook](#); [Google Plus](#);

## SPEED OPTIMIZATIONS

### HTML Page Size Test

#### www.finestredatetto-elettrolux.it

- ✓ Congratulations! The size of your web page's HTML is 15.92 Kb and is under the average web page's HTML size of 33 Kb.  
Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.

#### www.fakro.it

- ✓ Congratulations! The size of your web page's HTML is 6.24 Kb and is under the average web page's HTML size of 33 Kb.  
Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.

### HTML Compression/GZIP Test

#### www.finestredatetto-elettrolux.it

- ✓ Congratulations! Your page is successfully compressed using **gzip compression** on your code.  
Your HTML is compressed from **79.89 Kb** to **15.92 Kb (80 % size savings)**. This helps ensure a faster loading web page and improved user experience.

#### www.fakro.it

- ✓ Congratulations! Your page is successfully compressed using **gzip compression** on your code.  
Your HTML is compressed from **26.34 Kb** to **6.24 Kb (76 % size savings)**. This helps ensure a faster loading web page and improved user experience.

## Site Loading Speed Test

### www.finestredatetto-elettrolux.it

✖ Your site loading time is around **5.467 seconds** and is over the average loading speed which is **5 seconds**.

#### HOW TO FIX SITE LOADING SPEED TEST

In order to resolve this problem you are advised to:

- Minimize HTTP requests
- Use Gzip compression
- Use HTTP caching
- Move all CSS style rules into a single, external and minified CSS file
- Minify all JS files and, if possible, try combining them into a single external JS file
- Include external CSS files before external JS files
- Place your JS scripts at the bottom of your page
- Optimize images
- Reduce redirects
- Reduce the number of plug-ins

### www.fakro.it

✔ Your site loading time is around **4.83 seconds** and this is under the average loading speed which is **5 seconds**.

## Page Objects

### www.finestredatetto-elettrolux.it

✖ Your page has more than 20 http requests, which can slow down page loading. You can try [reducing http requests through various methods](#) such as using text instead of images, using css sprites, [using data URIs instead of images](#), or combining several external files together into one.

HTML Pages: 2; CSS Files: 9; Scripts: 23; Images: 15; Flash Files: 0;

### www.fakro.it

✖ Your page has more than 20 http requests, which can slow down page loading. You can try [reducing http requests through various methods](#) such as using text instead of images, using css sprites, [using data URIs instead of images](#), or combining several external files together into one.

HTML Pages: 3; CSS Files: 11; Scripts: 23; Images: 33; Flash Files: 0;

## Page Cache Test (Server Side Caching)

### www.finestredatetto-elettrolux.it

✔ Congratulations, you have a caching mechanism on your website. [Caching](#) helps speed page loading times as well as reduces server load.

### www.fakro.it

✔ Congratulations, you have a caching mechanism on your website. [Caching](#) helps speed page loading times as well as reduces server load.

## Flash Test

### www.finestredatetto-elettrolux.it

- ✓ Congratulations! Your website does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.

### www.fakro.it

- ✓ Congratulations! Your website does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.

## Image Expires Tag Test

### www.finestredatetto-elettrolux.it

- ✓ Congratulations! Your webpage use 'Expires' header for your images and the browsers will display these images from the cache.

### www.fakro.it

- ✓ Congratulations! Your webpage use 'Expires' header for your images and the browsers will display these images from the cache.

## JS Minification Test

### www.finestredatetto-elettrolux.it

- ! Some of your website's JavaScript files are not minified!

---

→ <http://www.finestredatetto-elettrolux.it ... yphoto/jquery.prettyPhoto.js?ver=1.6.0.7>  
→ [http://cdn.iubenda.com/cookie\\_solution/i ... core-b3e9d51a79c47aa32aa85d13fedea7be.js](http://cdn.iubenda.com/cookie_solution/i ... core-b3e9d51a79c47aa32aa85d13fedea7be.js)

---

#### HOW TO FIX JS MINIFICATION TEST

In order to pass this test you must minify all of your external JavaScript files. For this task you can use an online JS minifier like [YUI Compressor](#), [Closure Compiler](#) or [JSMIn](#).

### www.fakro.it

- ! Some of your website's JavaScript files are not minified!

---

→ <http://www.fakro.it/jquery-noconflict.js>  
→ <http://www.fakro.it/images/template/widgets/slideshow/slideshow.js>  
→ <http://www.fakro.it/js/jquery.cookie.js>  
→ <http://www.fakro.it/js/jquery.flexisel.js>  
→ <http://www.fakro.it/js/jquery.fancybox-media.js>  
→ <http://www.fakro.it/js/jquery.opTooltip.1.4.js>  
→ <http://www.fakro.it/js/jquery.realperson.min.js>  
→ <http://www.fakro.it/js/main.js>

## CSS Minification Test

### www.finestredatetto-elettrolux.it

! Some of your website's CSS files are not minified!

- [http://fonts.googleapis.com/css?family=O ... A400%7CMerriweather%3A400&ver=1488359420](http://fonts.googleapis.com/css?family=O...A400%7CMerriweather%3A400&ver=1488359420)
- <http://fonts.googleapis.com/css?family=Open+Sans%3A800%2C300>
- <http://fonts.googleapis.com/css?family=PT+Sans>
- <http://fonts.googleapis.com/css?family=Open+Sans>

#### HOW TO FIX CSS MINIFICATION TEST

In order to pass this test you must minify all of your external CSS files. For this task you can use an online CSS minifier like [YUI Compressor](#) or [cssmin.js](#).

### www.fakro.it

! Some of your website's CSS files are not minified!

- <http://www.fakro.it/images/template/widgets/article/article.css>
- <http://www.fakro.it/images/template/widgets/slideshow/jquery.bxslider.css>
- <http://www.fakro.it/images/template/widgets/slideshow/slideshow.css>
- [https://fonts.googleapis.com/css?family= ... 0,500,600,700,800&subset=latin,latin-ext](https://fonts.googleapis.com/css?family=...0,500,600,700,800&subset=latin,latin-ext)
- <http://www.fakro.it/css/jquery.fancybox.css>
- <http://www.fakro.it/css/main.css>
- <http://www.fakro.it/css/google-custom.css>

## Nested Tables Test

### www.finestredatetto-elettrolux.it

✓ Congratulations, your page does not use nested tables. This speeds up page loading time and optimizes the user experience.

### www.fakro.it

✓ Congratulations, your page does not use nested tables. This speeds up page loading time and optimizes the user experience.

## Frameset Test

### www.finestredatetto-elettrolux.it

✓ Congratulations! Your webpage does not use frames.

### www.fakro.it

✓ Congratulations! Your webpage does not use frames.

## Doctype Test

### www.finestredatetto-elettrolux.it

✓ Congratulations! Your website has a doctype declaration:

- `<!DOCTYPE html>`

## www.fakro.it

✓ Congratulations! Your website has a doctype declaration:

→ <!DOCTYPE html>

## URL Redirects Checker

### www.finestredatetto-elettrolux.it

✓ Congratulations! Your URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).

### www.fakro.it

✓ Congratulations! Your URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).

## SERVER AND SECURITY

## URL Canonicalization Test

### www.finestredatetto-elettrolux.it

✓ <http://www.finestredatetto-elettrolux.it> and <http://finestredatetto-elettrolux.it/> resolve to the same URL.

### www.fakro.it

✓ <http://www.fakro.it> and <http://fakro.it/> resolve to the same URL.

## HTTPS Test

### www.finestredatetto-elettrolux.it

✗ Your website is not using https, a secure communication protocol. Even for sites that do not collect sensitive customer information, search engines suggest that [switching to https is an increasingly good idea and may help improve rankings](#). Note: if your site relies primarily on adsense income, be aware that [using https may be detrimental to ad earnings](#).

#### HOW TO FIX HTTPS TEST

If your website needs a secured authentication or an encrypted transfer of data, you need to install an SSL certificate in order to provide a secure connection over HTTPS protocol. [HERE](#) is a "step by step" guide to purchase and install an SSL certificate.

### www.fakro.it

✗ Your website is not using https, a secure communication protocol. Even for sites that do not collect sensitive customer information, search engines suggest that [switching to https is an increasingly good idea and may help improve rankings](#). Note: if your site relies primarily on adsense income, be aware that [using https may be detrimental to ad earnings](#).

## Safe Browsing Test

### www.finestredatetto-elettrolux.it

✓ This site is not currently listed as suspicious (no malware or phishing activity found).

**www.fakro.it**

✓ This site is not currently listed as suspicious (no malware or phishing activity found).

#### Server Signature Test

**www.finestredatetto-elettrolux.it**

✓ Congratulations, your server signature is off.

**www.fakro.it**

✓ Congratulations, your server signature is off.

#### Directory Browsing Test

**www.finestredatetto-elettrolux.it**

✓ Congratulations! Your server has disabled directory browsing.

**www.fakro.it**

✓ Congratulations! Your server has disabled directory browsing.

#### Libwww-perl Access Test

**www.finestredatetto-elettrolux.it**

✓ Congratulations! Your server does not allow access from libwww-perl User-Agent.

**www.fakro.it**

✗ Your server appears to allow access from User-agent Libwww-perl. Botnet scripts that automatically look for vulnerabilities in your software are sometimes identified as User-Agent libwww-perl. By blocking access from libwww-perl you can eliminate many simpler attacks. Read more on [blocking Libwww-perl access](#) and [improving your website's security](#).

#### Plaintext Emails Test

**www.finestredatetto-elettrolux.it**

✓ Congratulations! Your webpage does not include email addresses in plaintext.

**www.fakro.it**

✓ Congratulations! Your webpage does not include email addresses in plaintext.

### MOBILE USABILITY

#### Media Query Responsive Test

**www.finestredatetto-elettrolux.it**


✓ Congratulations, your website uses media query technique, which is the base for responsive design functionalities.

**www.fakro.it**

✓ Congratulations, your website uses media query technique, which is the base for responsive design functionalities.

## Mobile Snapshot

**www.finestredatetto-elettrolux.it**







## ADVANCED SEO

### Microdata Schema Test

#### www.finestredatetto-elettrolux.it

- ✖ Your webpage doesn't take the advantages of HTML Microdata specifications in order to markup structured data. View Google's guide for [getting started with microdata](#).

#### HOW TO FIX MICRODATA SCHEMA TEST

HTML5 Microdata is an easy way to add semantic markup to your web pages. Search engines rely on this markup to improve the display of search results, making it easier for people to find the right web pages. Here is a simple example of how to use HTML5 microdata in your contact web page:

```
<div itemscope itemtype="http://schema.org/Person">
  <span itemprop="name">Joe Doe</span>
  <span itemprop="company">The Example Company</span>
  <span itemprop="tel">604-555-1234</span>
  <a itemprop="email" href="mailto:joe.doe@example.com">joe.doe@example.com</a>
</div>
```

#### www.fakro.it

- ✖ Your webpage doesn't take the advantages of HTML Microdata specifications in order to markup structured data. View Google's guide for [getting started with microdata](#).

## Noindex Checker

### **www.finestredatetto-elettrolux.it**

- ✓ Your webpage does not use the noindex meta tag. This means that your webpage will be read and indexed by search engines.

### **www.fakro.it**

- ✓ Your webpage does not use the noindex meta tag. This means that your webpage will be read and indexed by search engines.

## Canonical Tag Checker

### **www.finestredatetto-elettrolux.it**

- ✓ Your page is using the canonical link tag. This tag specifies that the URL: <http://www.finestredatetto-elettrolux.it> is preferred to be used in search results. Please ensure that this specification is correct, as canonical tags are often hard-coded and may not always reflect the latest changes in a site's URL structure.

→ `<link rel="canonical" href="http://www.finestredatetto-elettrolux.it"/>`

### **www.fakro.it**

- ✓ Your page does not use the canonical link tag.

## Nofollow Checker

### **www.finestredatetto-elettrolux.it**

- ✓ Your webpage does not use the nofollow meta tag. This means that search engines will crawl all links from your webpage.

### **www.fakro.it**

- ✓ Your webpage does not use the nofollow meta tag. This means that search engines will crawl all links from your webpage.

## Disallow Directive Checker

### **www.finestredatetto-elettrolux.it**

- ✓ Your robots.txt file disallow the search engines access to some parts of your website. You are advised to check carefully if the access to these resources or pages must be blocked.

→ Disallow: /wp-admin/

### **www.fakro.it**

- ✓ Your robots.txt file disallow the search engines access to some parts of your website. You are advised to check carefully if the access to these resources or pages must be blocked.

→ Disallow: /att/DATA/

→ Disallow: /print/

→ Disallow: /\*?\*

### **www.finestredatetto-elettrolux.it**

✓ Congratulations! Your DNS server is using an SPF record. This SPF record is listed below:

---

→ v=spf1 +a +mx +ip4:162.255.165.173 ~all

### **www.fakro.it**

✓ Congratulations! Your DNS server is using an SPF record. This SPF record is listed below:

---

→ v=spf1 a mx ip4:37.128.111.170/32 ip4:37.247.226.76/32 ip4:82.223.30.157/32 -all